

## Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name  Bearno's  Stablishment Address (aumber and stryest, city, state, alp code)  401 LaTollet Station Floydr Knobs W 47111  812-983-4469  12-4-19  26  Owner's Address (aumber and stryest, city, state, alp code)  412-989-9469  12-4-19  12-4-19  26  Owner's Address  8115 Walfriew Ct New Alkany. IN 97150  Ferron in Charge  Sherri Cora way  Responsible Person's E-mail  6. Hordorperational  8. Temporary  6. Hordory  6. Hordory  7. Other (list)  1 2 / 3 4 5.  Certified Food Manager  Sherri Caraway 2-5-20  -Certified Food Manager  To Be Corrected By  To Be Correct						<del></del>						
Owner Kirk Johnson  Owner Kirk Johnson  Owner Kirk Johnson  Owner Address 3115 Wolfview Ct New Alsany. 147150  Report Charge  Sherri Caraway  Ferror in Charge  Sherri Caraway  Ferror in Charge  Sherri Caraway  Ferror in Charge  Certified Food Managor  Sherri Caraway  Ferror in Charge  Sherri Caraway  Ferror in Charge  From in Charge  Sherri Caraway  Ferror in Charge  Sherri Caraway  Ferror in Charge  From in Charge  Sherri Caraway  Ferror in Caraway  Ferror in Charge  Sherri Caraway  Ferror in Caraway	Establishm		Ber	arno's	7/2 - 923 - 4600	(mm/dd/yr)		PERMIT # 19 -				
Owner's Address 31/S Wolfview Cf New Albany. 1/47/50 31/S Wolfview Cf New Albany. 1/47/50 Person in Charge  Sherri Caraway  Responsible Person's E-mail  Certified Food Manager  Sherri Caraway 2-5-20  **CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLLANNS MARKED "C"  **VOLLATIONS; REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SIMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"  Section# CINC R  Natrative  Section# Natrative Section# Natrative Section# Natrative Below & Properties of Control	Establishm	ent Addres Lafol	s (nu	mber and street, city, state, zip code)  + Station Floyds Knobs IN 47116	812-989-4469	12-4	-19	76				
OBBETT AND THE STREET OF THE COLOR Albany.   W 47150   2. Follow-up   3. Complaint   4. Pre-Operational   4. Pre-Operational   5. Temporary   6. HACCP   6. HACCP   7. Other (list)   1 _ 2 / 3 _ 4 _ 5   5   6. HACCP   7. Other (list)   1 _ 2 / 3 _ 4 _ 5   7   7   7   7   7   7   7   7   7				1	Purpose:							
Responsible Person's E-mail  Responsible Person's E-mail  Certified Food Manager  Sherri Caraway 2-5-20  -CERTICAL ITEMS ARE IDENTIFED IN THE CHECKLIST AND NARRATIVE COLLEMNS MARKED 4C"  -VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"  Section# CINC R  Section# CINC R  Observed missing Humaheters in B cooler; 4 days  pred content, break cooler, bar cooler contents in grainy.  Observed no hair restraints being worn Corrected when entring Kiklan.  295 NC R Observed ice machine Cluck in week of today  more frequent Cleaning.  309 NC R Observed Exhaust fans not running in pithan   week    lobby restrooms.  399 NC R Observed Floors in lobby to not be 3 weeks  Smooth and easily Cleanable.  - flyoring has been removed and is waiting to  be replaced.  433 NC Observed wet rop heads Stord in mapsight today.  - CFH Certificate expires in 2 months.  Received by (name and title printed):  Thomas Snider. EHS  Received by (name and title printed):  Thomas Snider. EHS  Received by (name and title printed):  Thomas Snider. EHS	Owner's Ac	ddress			2. Follow-up	Summary o						
Responsible Person's E-mail  Settlifed Food Manager  Certified Food Manager  Sheffi Caraway 2-5-20  Content (list)  1 2 3 4 5  Content (list)  1 2 3 4 5  Certified Food Manager  Content (list)  1 2 3 4 5  Certified Food Manager  Content (list)  1 2 3 4 5  Certified Food Manager  Content (list)  1 2 3 4 5  Certified Food Manager  Content (list)  1 2 3 4 5  Certified Food Manager  Content (list)  1 2 3 4 5  To ther (list)  1 2 3 4 5  The Content Caraway 2-5-20  Certified Food Manager  Content Caraway And Interpretable Elow as "R"  To the Content Caraway And Interpretable Elow as "R"  To the Content Caraway And Interpretable Elow as "R"  The Certificate Expires in Caraway And Interpretable Elow as "R"  The Certificate Expires in Caraway And Interpretable Elds  Certified Food Manager  The Certificate Expires in Caraway And Interpretable Elds  Certified Food Manager  Content and Content Caraway And Interpretable Elds  Certified Food Manager  Content Caraway And Interpretable Elds  Coolers: 4 days  Corrected By  Corrected By  Corrected By  Corrected By  Coolers: 4 days  Corrected By  Corrected By  Coolers: 4 days  Coolers: 4 days  Coolers: 4 days  Coolers: 4 days  Coolers: 4 day					1 -	c	NC_6	<u>R</u> 2				
Sherri Caramay 2-5-20  *CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  *VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"  Section# C/NC R Narrative 2 'I' To Be Corrected By  2.56 NC Observed Missing Humbheters in It Coolers; I day's  pizza cootec, break cooler, bar cooler Contenting dain'y.  13.8 NC Observed No hair restraints being worn Corrected  when enturing Kikkon.  2.95 NC R Observed ire markine Cluck in need of today  more frequent clouning.  30.9 NC R Observed exhaust fains not running in pither I week    lobby restrooms.  39.9 NC Observed Floors in lobby to not be 3 weeks    Smooth and easily clounable.   - flooring has been removed and is waiting to be replaced.  43.3 NC Observed wet may heads shord in map sight today  - CFH Certificate expires in 2 months.    Received by (name and titls printed): Thomas Snider. EHS    Received by (name and titls printed): Thomas Snider. EHS    Received by (signature): Homas Snider. EHS    Received by (signature): Homas Snider. EHS    Inspected by (signature): Homas Snider. EHS    Harmy Caraman Markey Markey Markey Homas Snider. EHS    Inspected by (signature): Homas Snider.	Responsible	e Person's			· · ·	Мепи Турс	e (See back	of page)				
*CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  *VIOLATIONS) REPRATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"  Section# CNC R Narrative 2 To Be Corrected By  256 NC Observed Missing Humoheters IM & coolers; 4 days  preva cooler, break cooler, bar cooler contenting dairy.  138 NC Observed No hair restraints being worn Corrected when entering Kikha.  295 NC R Observed lice machine Chuk in need of today more frequest cleaning.  309 NC R Observed exhaust fans not ruming in either I week lobby restroores.  399 NC R Observed floors in lobby to not be 3 weeks  Snooth and easily cleanable.  - flooring has been removed and is waiting to be replaced.  433 NC Observed wet more heads shord in mapsight today.  - CFH certificate expires in 2 months.  Received by (name and title printed):  - Thoras Snider. EHS  Received by (signature):  - HARM CARAWAY MANNER Inspected by (name and title printed):  - Harm CARAWAY MANNER Inspected by (signature):  - Harm CARAWAY HARWAY HARWAY HARM CARAWAY HARWAY	Certified Fo	ood Manag	er S	Therri Caraway 2-5-20	7. Other (list)	12_	3	45				
Section# C/NC R Narrative 2 To Be Corrected By 256 NC Observed Missing Humbheters in B coolers; 4 days  pizza coates, break cooler, bar cooler containing dainy.  138 NC Observed no hair restraints being worn Corrected  when entring Kitchen.  295 NC R Observed ice machine Chuk in need of today  more frequent cleaning.  309 NC R Observed exhaust Foins not running in either I week  lobby restrooms.  399 NC Observed floors in lobby to not be 3 weeks  Smooth and easily cleanable.  - flooring has been removed and is warking to  be replaced.  433 NC Observed wet map heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARAWAY MANAGER  Inspected by (name and title printed):  Thomas Snider. EHS  Inspected by (signature):  Jump Jump Jump Jump Jump Jump Jump Jump												
256 NC Observed missing themsheters in B coolers; 4 days  price cottes, break cooler, bar cooler contenting dainy.  138 NC Observed no hair restraints being worn Corrected  when entering Kikken.  295 NC R Observed ice machine that in need of today  more frequent cleaning.  309 NC R Observed exhaust fains not running in pither I veek  lobby restroores.  399 NC Observed floors in lobby to not be 3 weeks  Smooth and easily clamable.  - flooring has been removed and is waiting to  be replaced.  433 NC Observed wet rop heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARMEN MANAGER  Inspected by (signature):  Inspected by (signature):  Inspected by (signature):  Thomas Smider. EHS	• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"											
138 NC Observed no hair restraints being worn Corrected when entring Kitchen.  295 NC R Observed ice markine thick in need of today more frequent cleaning.  309 NC R Observed exhaust fans not running in either I veek lobby restrooms.  399 NC Observed floors in lobby to not be 3 weeks Smooth and easily Clamable.  - flooring has been removed and is waiting to be replaced.  433 NC Observed wet map heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and titla printed):  Thomas Smider. EHS  Received by (signature):  Inspected by (signature):  Jumn Amally	Section#	C/NC	R	Narrative	,2	3	To Be Co	rrected By				
138 NC Observed no hair restraints being worn Corrected when entring Kitchen.  295 NC R Observed ice markine thick in need of today more frequent cleaning.  309 NC R Observed exhaust fans not running in either I veek lobby restrooms.  399 NC Observed floors in lobby to not be 3 weeks Smooth and easily Clamable.  - flooring has been removed and is waiting to be replaced.  433 NC Observed wet map heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and titla printed):  Thomas Smider. EHS  Received by (signature):  Inspected by (signature):  Jumn Amally	256	NC.		Observed missing Hermoheter	-s in & con	lers:	4	days				
138 NC Observed no hair restraints being worn 'corrected when entering Kitchen.  295 NC R Observed ice martine Chute in need of today more frequent cleaning.  309 NC R Observed exhaust fains not running in either I veck lobby restrooms.  309 NC Observed flours in lobby to not be 3 weeks smooth and easily clamable.  - flooring has been removed and is waiting to be replaced.  433 NC Observed wet map heads shored in mapsight today  - CFH Certificate expires in 2 months.  Received by (name and title printed):  Thomas Snider. EHS  Received by (signature):  Thomas Snider. EHS  Inspected by (signature):  Thomas Snider.		/ · · ·										
when entring Kitchen.  295 NC R Observed ice markine that in need of today  more frequent cleaning.  309 NC R Observed exhaust fans not running in pither I veek  lobby restroores.  399 NC Observed floors in lobby to not be 3 weeks  Smooth and easily clamable.  - flooring has been removed and is waiting to  be replaced.  433 NC Observed wet may heads shored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARAWAY MANAGER  Received by (signature):  Manager  Inspected by (signature):  Thomas Snider. EHS  Inspected by (signature):  Jump CARAWAY  MANAGER  Inspected by (signature):  Jump CARAWAY  Jump CARAWAY  Thomas Snider.	170	1110				114900		- /2				
795 NC R Observed ice markine that in need of today  more frequent cleaning.  309 NC R Observed exhaust fans not running in either I veek  lobby restrooms.  399 NC Observed floors in lobby to not be 3 weeks  Smooth and easily cleanable.  - flooring has been removed and is waiting to  be replaced.  433 NC Observed wet may heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHIRM CARAWAY MANAGER  Inspected by (name and title printed):  Thomas Snider. EHS  Received by (signature):  Jump CARAWAY  Inspected by (signature):  Jump CARAWAY  Jump C	130	10 C			being worn		Con	rectegs				
more frequent cleaning.  309 NC R Observed exhaust fans not running in either I veek  lobby restrooms.  399 NC Observed flours in lobby to not be 3 weeks  Smooth and easily cleanable.  - flooring has been removed and is waiting to  be replaced.  Observed wet map heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  Thomas Smider. EHS  Received by (signature):  MANAMAN  Inspected by (name and title printed):  Thomas Smider. EHS  Adward Manaman				7.77	·							
309 MC R Observed exhaust fains not running in either   veek	295	NC	$ \mathcal{R} $	Observal ice machine that	e in need of		tod	ay				
309 MC R Observed exhaust fains not running in either   veek				more frequent cleaning				7				
Smooth and easily claunable.  - flooring has been removed and is waiting to  be replaced.  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARAWAY MANAGER  Received by (signature):  Manager  Inspected by (signature):  Inspected by (signature):  Jump CARAWAY  Thomas Snider. EHS	309	NC	R		trunning in pit	hor	1 ve	eK				
Smooth and easily Claunable.  - flooring has been removed and is waiting to  be replaced.  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARAWAY MANAGER  Received by (signature):  Manager  Inspected by (signature):  Inspected by (signature):  Johnson finite				lobby restrooms.	,							
Smooth and easily Claunable.  - flooring has been removed and is waiting to  be replaced.  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARM CARAWAY MANAGER  Received by (signature):  Manager  Inspected by (signature):  Inspected by (signature):  Johnson finite	399	<b>N/C</b>		Observed flours in labor	to not be		3 W	ceKs				
- fluoring has been removed and is waiting to  be replaced.  433 NC Observed wet map heads stored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  SHARRY CARAWAY MANAGER  Received by (signature):  Inspected by (signature):  Thomas Snider. EHS  Received by (signature):  Thomas Snider.	, , ,	/ <b>*</b>			06/0		<u> </u>	<u> </u>				
be replaced.  433 NC Observed wet map heads shored in mapsight today  - CFH certificate expires in 2 months.  Received by (name and title printed):  Styring CARAWAY MANAGER  Received by (signature):  Inspected by (signature):  Inspected by (signature):  Thomas Snider. EHS  Inspected by (signature):						10		· ·				
Received by (name and title printed):  ARCHARAGE MANAGER  Inspected by (name and title printed):  Thomas Snider. EHS  Received by (signature):  Thomas Snider. EHS  Inspected by (signature):  Thomas Snider.					, , , , , , , , , , , , , , , , , , ,							
Received by (name and title printed):  HARAY CARAWAY MANAGER  Received by (signature):  Hornas Snider. EHS  Inspected by (signature):  Hornas Snider.	433	NC										
Received by (name and title printed):  SHARRY CARAWAY MANAGER  Received by (signature):  Inspected by (signature):  Thomas Snider. EHS  Inspected by (signature):  Thomas finite	7.7	/	-	Ossi or very very	31010 14 1 19	ربر <u>ہ</u> ۔ رہے م	100	1919				
Received by (name and title printed):  SHARM CARAWAY MAWAYER  Received by (signature):  Inspected by (name and title printed):  Thomas Snider. EHS  Inspected by (signature):  Thomas Snider. EHS	•			- (FH colding exain	ac in 2 must	7.						
SHARRY CARAWAY MANAGER Thomas Snider. EHS  Received by (signature):  Thomas Snider. EHS  Inspected by (signature):  Thomas Snider.	_			CITI CEPTITICATE EXPIN	103 /21 C MONI	W.						
SHARRY CARAWAY MANAGER Thomas Snider. EHS  Received by (signature):  Thomas Snider. EHS  Inspected by (signature):  Thomas Snider.							-	-				
SHORE CARAWAY MANAGER Thomas Snider, EHS  Received by (signature):  Thomas Snider, EHS  Inspected by (signature):  Thomas Snider, EHS	Received by	(name and	titler	printed):	Inspected by (name and title m	rinted):		· ·				
Received by (signature):    Inspected by (signature):   Thomas frink	(1.41			PRAWAY MANAGER	Thomas Snice	der. E	HS	r				
Shows from	Received by	(signature)	: /		Inspected by (signature):	1						
/ <b>•</b> // / / / / / / / / / / / / / / / / /	LIN	When	L.	March /	Thomas A	Knik	<b>-</b>					
	&c:			oc:		ce:						

## **MENU TYPE**

1	Pre-packaged non-potentially hazardous foods. Limited preparation of nonpotentially hazardous foods.
2	Limited menu (1 or 2 main items). Pre-packaged raw ingredients are cooked or prepared to order. Retail food operations exclude deli or seafood departments. Raw ingredients require minimal assembly. Most products are cooked/prepared and served immediately. Hot and cold holding of potentially hazardous foods is restricted to single meal service. Preparation processes requiring cooking, cooling, and reheating are limited to 1 or 2 potentially hazardous foods.
3	Extensive handling of raw ingredients. Preparation process includes the cooking, cooling, and reheating of potentially hazardous foods. A variety of processes require hot and cold holding of potentially hazardous food. Advance preparation for next day-service is limited to 2 or 3 items. Retail food operations include deli and seafood departments.
4	Extensive handling of raw ingredients. Preparation processes include the cooking, cooling, and reheating of potentially hazardous foods. A variety of processes require hot and cold holding of potentially hazardous foods. Food processes include advanced preparation for next-day service. Category would also include those facilities whose service population is highly susceptible.
5	Extensive handling of raw ingredients. Food processing at the retail level, e.g., smoking and curing; reduced oxygen packaging for extended shelf-life.

Floyd County Health Department Inspection Notes					
Godê#	FE/NGAR				
		PIC:			
		CFH:			
		Health Policy Y - N Food Code: Y - N			
		Email:			
399	NC	dining floors?			
138	NC	Hats			
433		Mup heads in Sink			
295	NC R	ice Chuk.			
256	1	no the mount in pizza cooler			
1256	NC	Murmuly in drink con containing dairy			
V 304	NCR	exhaust far both RR			
	-				
	1				
		·			
		•			

